REFERENCES

ADA. 1995. Position of the American Dietetic Association: Phytochemicals and functional foods. J. Am. Diet. Assoc. 95: 493-496

Ajay Kumar , Monika Singh, P.P. Singh, Sandeep Sing, Pratima (2016), Antioxidant efficacy and curcumin content of Turmaric (curcuma- longal.), International Journal of Current Pharmaceutical Research , Vol 8, Issue 3, 2016, 112 - 115

Albertazzi, P., Pansini, F., Bonaccorsi G., Zanotti, L., Forini, E., and De Aloysio, D. 1998.The effect of dietary soy supplementation on hot flushes. Obstet. Gynecol 91: 6-11.

Allman, M.A., Pena, M.M., and Pang, D. 1995. Supplementation with flaxseed oil versus sunflowerseed oil in healthy young men consuming a low fat diet: Effects on platelet composition and function. Eur. J. Clin. Nutr 49: 169-178.

Anderson, J.W., Johnstone, B.M., and Cook-Newell, M.E. 1995.Meta-analysis of the effects of soy protein intake on serum lipids.New Engl. J. Med. 333: 276- 282.

Bajaj, Megha (2007). " Heal your Heart Naturally" . http://www.lifepositive.com/ body/Heart_Health/heal_Your_Heart_Naturally92007.asp.

Basavaraj, G. and Rao, Parthaswarathy (2009).Availability and utilization of pearl millet in India.http://journal.icrisat.org/volume8/IMPI/ Availability and utilization.pdf.

Bhargavi .G. Naidu,et al. (2013), A study of a Galactogoue and protein rich – multigrain laddoo, International journal of Food and Nutritional Sciences Vol.2, Iss.2, Apr-Jun 2013, 91 - 94

Bharti Jain **(2011),** Sensory and nutritional quality evaluation of soy-bajra fortifiedsattu and ready to eat sattu products, Food science research journal, Vol. 3, Issue 1, April, 2012, 86-90

Bicchi, C.; Binello, A. and Rubiolo, P. (2000).Determination of Phenolic diterpeneantioxidants in rosemary with different methods of extraction and analysis.*Phytochem Anal*, **11** : 236-242.

Chopra, Bagchi and Ganguli (1939).I.J. of Vet Sci. (1934).I, 61 (Wealth of India, 1963pp. 128).

Dr. Fletcher Rob. (1995). January " linola new flaxseed breed low in alpha-linolenic acid" , from the Australian New Crops New Letter, Issue No.3.

Dr. Fletcher Rob. (1995). January " linola new flaxseed breed low in alpha-

linolenic acid" , from the Australian New Crops New Letter, Issue No.3.

Ermakov, A.I. (1965). Group, varietal and individual characteristics of oil percentage in flax seeds. Trudy Prikt Bot. Genet. Steck, 37 : 5-26

Ermakov, A.I. (1965). Group, varietal and individual characteristics of oil percentage in flax seeds. Trudy Prikt Bot. Genet. Steck, 37 : 5-26

Gopalan, C.; Ramasastri, B.V. and Balasubramanian, S.C. (2002)." nutritive value of Indian Foods" . National Institute of Nutrition, (ICMR), Hyderabad, pp. 47.

Hodgson, J.M., Puddey, I.B., Beilin, L.J., Mori, T.A., and Croft, K.D. 1998. Supplementation with isoflavonoid phytoestrogens does not alter serum lipid concentrations: A randomized controlled trial in humans. J. Nutr. 128: 728-732

Jaiswal S. and Snehlate, (2009). Nutrition and organoleptic evaluation of snacks prepared from wheat and gram flour blended with roasted linseed flour, thesis work from Deptt. of Food Science and Nutrition CSA Az. University of Ag. and Tech, Kanpur, 49 – 52

Johan A. Milner,Functional Foods: Their role in disease preventionand health promotion, November, 1998, A publication of the institute of food technology ' expert panel on food safty and nutrition, vol 52 no. 11, page no. 61- 65.

Kato MJ, ChuA, DavinLB and LewisNG (1998) Biosynthesis of antioxidant lignans in Sesamumindicum seeds.Phytochemistry. *47*, 583-591.

Kulkerni S. D., (2007), Workshop proceeding on value addition through soybean , processing of soy products in SPU, CSIR, Barasia road Bhopal.

Messina, M. and Barnes, S. 1991.The role of soy products in reducing risk of cancer. J. Natl. Cancer Inst. 83: 541-546.

Messina, M., Barnes, S., and Setchell, K.D.R. 1997. Phytooestrogens and breast cancer.Lancet 350: 971- 972.

Morris JB (2002) Food, industrial, nutraceutical, and pharmaceutical uses of sesame genetic resources. In: Trends in new crops and new uses. *(* J. Janick and A. Whipkeyeds.) . 153– 156 ASHS Press, Alexandria.

Naqvi, P.A.; Rai, M. and Vasishtha, A.K. (1987)." Varietal Correlation between different quality components in linseed" .J. of the Oil Technologists Assoc. of India (1987) 19 (3) 66-69 (En, 6, ref.)HBTI, Kanpur, India, FCA 1990, Vol. 43, No.7.

Parr AJ and Boiwell GP (2000) Phenols in plant and in man.The potential for possible nutritional enhancement of the diet by modifying the potential content or profile.J. Sci. Food Agri. *80*, 985-1012.

Razan Baker (5 October 2006). "A Sweet Traditional Hejazi Treats". Arab News.Retrieved 22 August 2012.

Shree Laxmi B, (2011), Antioxidants in food, Nutrition Sciences, New Age International Publication, vol.5, chep. 21, 392- 415

Sirato-YasumotoS,Katsuta M, Okuyama Y, Takahashi Y andIde T (2001) Effect of sesame seeds rich in sesamin and sesamolin on fatty acid oxidation in rat liver. J. Agr.Food Chem. *49*, 2647-2651.

Smith DE and Salerno JW (2001) Selective growth inhibition of a human malignant melanoma cell line by sesame oil *in vitro*.Prostaglandins Leukot.Essent.Fatty Acids.*46*, 145-150

Tyler VE, Brady LR and Robbers JE (1976) Lipids. In: Pharmacognosy. Lea and Febiger, Philadelphia. P.A. P121-122

Vijaylakshmi, P. and Radha, R. (2006).Effect of little millet supplementation on hyperlipidaemia.*The Indian Journal of Nutrition and Dietetics,* **44** : 469-474.

Vishwanath H.S., Anilkumar K.R.,.Harsha S.N, FarhatKhanum and Bawa A.S. (2012), In vitro antioxidant of sesame seeds, Asian Journal of Pharmaceutical and Clinical Research Vol 5, Suppl 1, 2012, *56-60*

w.w.w.goolge.com. P,7 WHO reports~Omega-3 fatty acids and antioxidants in Human Health.

w.w.w.goolge.com. P,7 WHO reports~Omega-3 fatty acids and antioxidants in Human Health